

Index to Volume 126

Compiled by Leslie Cody

- Abies balsamea*, 1,234,295
 lasiocarpa, 189
Abraham, K.F., 20
Acanthis hornemanni, 113
Acer sp., 15
 negundo, 32,282
 rubrum, 1
 saccharum, 32
Acinonyx jubatus, 333
Acipenser fulvescens, 204
Aegolius acadicus, 41
Aegolius acadicus) Egg, An Anomalous Northern Saw-whet Owl, 41
Agropyron cristatum, 104,148,221,226
Ailanthus altissima, 32
Alaska, Sea Ice Crossing by Migrating Caribou, *Rangifer tarandus*, in Northwestern, 217
Alberta, An Extra –
 Limital Population of Black-tailed Prairie Dogs, *Cynomys ludovicianus*, in Central, 46
Alces alces, 189,234
Alces alces Winter Browsing, The Influence of Willow *Salix* sp. Rose Insect Galls on Moose, 189
Alder, 1
 Mountain, 136
Alfalfa, 104,148,158,221,226
Alliaria petiolata, 307
Alnus sp., 1,15
 incana ssp. *tenuifolia*, 136
Amelanchier alnifolia, 136,303
 arborea, 282
American Society of Mammalogists Annual Meeting 2013, 265
Anas acuta, 113
 platyrhynchos, 41
Anser albifrons, 111
Anthus rubescens, 113
Antrozous sp., 38
Apodemia mormo, 34
Apodemia mormo) Oviposition Behaviour in Canada, First Observations of Mormon Metalmark, 34
Apoemia mormo langei, 36
Arctostaphylos uva-ursi, 298
Arenaria interpres, 113
Ash, Green, 282
Asio flammeus, 41,113
Aspen, 47
 Large-tooth, 32
 Quaking, 282
 Trembling, 295
Aspen (*Populus tremuloides*) Chronosequence in Central Yukon, Stand-level Attributes of Snowshoe Hare (*Lepus americanus*) Habitat in a Post-Fire Trembling, 295
Atkinson, J., Review by, 177
Avocettina gilli, 210
 infans, 210
Aythya affinis, 16
 americana, 16
 fuligula, 16
 marila, 15,113
 valisineria, 16
Aythya marila, Nest Site Characteristics on Grassy Island, New Brunswick, Greater Scaup, 15
Badger, American, 47,95,221,226,234
 European, 221
Badgers, *Taxidea taxus*, in Southwestern Saskatchewan, Observations of Nocturnal Hunting Behaviour of American, 226
Badgers, *Taxidea taxus*, Use of a Dorsal Radio-Transmitter Implant in American, 221
Baeolophus atricristatus, 143
 bicolor, 143
Ballard, Jr. 19472012, Dr. Warren Baxter, 86
Ballard, W.B., 15
Barber-Meyer, S. Severe Maxillary Osteomyelitis in a Gray Wolf (*Canis lupus*), 238
Barkema, H.W., 288
Barley, 221,226
Bat, 125
 Big Brown, 38,117,127
 Eastern Red, 117
 Hoary, 117
 Little Brown, 39
 Silver-haired, 118
 Tricolored, 118,127
Bat Populations and Cave Microclimate Prior to and at the Outbreak of White-Nose Syndrome in New Brunswick, 125
Bats, Emergency COSEWIC Assessment for Three Species of, 182
Bats (*Eptesicus fuscus*) in Pennsylvania, Barn Owl (*Tyto alba*) Predation on Big Brown, 38
Bats (Family Vespertilionidae) at Five Locations in New Hampshire and Massachusetts, Foods of, 117
Bear, American Black, 224,234,321
 Grizzly, 224
Bearberry, Common, 298
Beaudoin, A.B. and Y. Beaudoin. Urban White-tailed Jackrabbits (*Lepus townsendii*) Eat Spike Plants (*Cordyline australis*) in Winter, 157
Beaudoin, A.B., Reviews by, 77,179,263
Beaudoin, Y., 157
Beaver, American, 283,321
Beetle, 121
Berns, A.M., 160
Betula sp., 1,25,296,320

- occidentalis*, 136
papyrifera, 282
 Biederman, T., 204
 Birch, 1,296,320
 Dwarf, 25
 Paper, 282
 Water, 136
 Bishop, C.A., 135,152
Blarina brevicauda, 2,38,93
 Bluebird, Mountain, 113
 Western, 41
 Bluet, Long-leaved, 62
 Bobcat, 231
 bois de plomb, 86
 Bousfield, E.L. and F.R. Cook. A Tribute to Charles Hogg Douglas, 1923–2004, 164
Brachyramphus marmoratus, 6
 marmoratus perdix, 6
 perdix, 6
Brachyramphus perdix, in North America, Body Condition and Survival of Vagrant Long-billed Murrelets, 6
 Brant, Black, 111
Branta bernicla nigricans, 111
 hutchinsii, 111
 British Columbia, First Specimens of the Marine Eels *Venefica ocella* and *V. tentaculata* (Nettastomatidae) from, 210
 British Columbia, Size of Territories and Home Ranges of Male Western Yellow-breasted Chats (*Icteria virens auricollis*) in, 152
 Britton (1923–2012), Canada's Premier Pteridologist, A Tribute to Donald M., 252
 Brodo, I.M. and F.R. Cook. A Tribute to Phillip Merrill Youngman: 1927–2011, 167
 Brome, 104,148,221,226
Bromus sp., 104,148,221,226
 Brook, R.W., K.F. Abraham, K.R. Middel and R.K. Ross. Abundance and Habitat Selection of Breeding Scoters (*Melanitta* spp.) in Ontario's Hudson Bay Lowlands, 20
 Brunton, D.F. A Tribute to Donald M. Britton (1923–2012), Canada's Premier Pteridologist, 252
Bryum caespiticium, 297
Bubo scandiacus, 113
 Buckbrush, 221,226
 Buckwheat, Few-flowered, 34
 Buffaloberry, 298
 Bullsnake, 195
 Bunting, Snow, 113
 Burg, T.M., 143
 Burg, T.M. and R.F. Lauff. An Anomalous Northern Saw-whet Owl (*Aegolius acadicus*) Egg, 41
Buteo lagopus, 113
 Butterfly, 36

Calamagrostis sp., 15
 canadensis, 1
 purpurascens, 298
Calathus sp., 121
Calcarius lapponicus, 113
Calidris bairdii, 111
 fuscicollis, 113
 himantopus, 111
 melanotos, 113
 pusilla, 113
 Callaghan, C., Review by, 83
Camptorhynchus labradorius, 329
 Canada, A Partial Albino Hatchling Northern Ring-necked Snake, *Diadophis punctatus edwardsii*, from Big Tan-cook Island, Mahone Bay, Lunenburg County, Nova Scotia, 336
 Canada, A Significant Range Extension for the Eastern Ribbonsnake, *Thamnophis sauritus*, in Nova Scotia, 231
 Canada, A Specimen of the High Arctic Subspecies of Atlantic Puffin, *Fatercula arctica naumanni*, in, 50
 Canada, First Observations of Mormon Metalmark (*Apodemia mormo*) Oviposition Behaviour in, 34
 Canada, First Record of Parasites from Cougars (*Puma concolor*) in Manitoba, 324
 Canada, Genetic Evidence Supports Boreal Chickadee (*Poecile hudsonicus*) × Black-capped Chickadee (*Poecile atricapillus*) Hybridization in Atlantic, 143
 Canada, Population Structure of Harvested Red Foxes (*Vulpes vulpes*) and Coyotes (*Canis latrans*) on Prince Edward Island, 288
 Canada's Premier Pteridologist, A Tribute to Donald M. Britton (1923–2012), 252
Canadian Field-Naturalist 119(3): 359, Erratum The, 265
Canadian Field-Naturalist 126(3): 245, Erratum The, 353
Canadian Field-Naturalist Instructions for Authors, The, 186,278
Canadian Herpetologist (TCH) 2(1), Spring 2012, The, 182
Canadian Herpetologist (TCH) 2(2), Fall 2012, The, 353
Canis sp., 237
 familiaris, 321
 latrans, 47,95,288,321,324
 lupus, 238,324
 lupus lycaon, 235
 lupus rufus, 143
Canis latrans on Prince Edward Island, Canada, Population Structure of Harvested Red Foxes (*Vulpes vulpes*) and Coyotes, 288
Canis lupus, Severe Maxillary Osteomyelitis in a Gray Wolf, 238
 Canvasback, 16
 Capercaillie, 331
Capra pyrenaica, 192
Carduelis hornemanni, 113
Carex sp., 15,25
 macloviana, 62
 soperi, 62
 Caribou, 217
 Caribou, *Rangifer tarandus*, in Northwestern Alaska, Sea Ice Crossing by Migrating, 217
 Carter, H.R., 6
 Carter, R.A., 320
Carya sp., 28
Castanea sp., 255
Castor canadensis, 283,321
 Caswell, G., 336
 Cat, 47
 Domestic, 321
 Feral, 286
 Catling, P.M., Review by, 71

- Ceanothus* sp., 221,226
 Cedar, Eastern White, 160
Celtis occidentalis, 32
 tenuifolia, 62
 tenuifolia var. *soperi*, 62
Ceratodon purpureus, 297
Cervus elaphus, 46,320
Chamaedaphne calyculata, 24
Chamerion angustifolium, 298
Charadrius semipalmatus, 113
 Chat, Eastern Yellow-breasted, 135
 Western Yellow-breasted, 135,152
 Yellow-breasted, 135,152
 Chat (*Icteria virens auricollis*) at the Northern Edge of its Range, Site Fidelity and Annual Survival of the Western Yellow-breasted, 135
 Chats (*Icteria virens auricollis*) in British Columbia, Size of Territories and Home Ranges of Male Western Yellow-breasted, 152
 Cheetah, 333
Chen caerulescens, 113
Chenopodium album, 32
 Cherry, Black, 32
 Chickadee, Black-capped, 143
 Boreal, 143
 Carolina, 143
 Mountain, 143
 Chickadee (*Poecile atricapillus*) Hybridization in Atlantic Canada, Genetic Evidence Supports Boreal Chickadee (*Poecile hudsonicus*) × Black-capped, 143
 Chickadee (*Poecile hudsonicus*) × Black-capped Chickadee (*Poecile atricapillus*) Hybridization in Atlantic Canada, Genetic Evidence Supports Boreal, 143
Chionoecetes tanneri, 210
 Chokecherry, 282
Chrysolmelidae sp., 121
Clangula hyemalis, 113
 Clark, H.O. Jr., Review by, 68
 Coad, B.W., Review by, 173
 Cochran, P.A., M.A. Ross, T.S. Walker, and T. Biederman. Early Spawning by the American Brook Lamprey (*Lethenteron appendix*) in Southeastern Minnesota, 204
Colaptes auratus, 41,143
Coluber constrictor flaviventris, 195
 taeniatus, 199
 Cook, F.R., 164,167
 Cook, F.R., Reviews by, 340,341,342,344,345
Cordyline sp., 157
 australis, 157
Cordyline australis in Winter, Urban White-tailed Jackrabbits (*Lepus townsendii*) Eat Spike Plants, 157
Cornus sp., 15
 racemosa, 282
 stolonifera, 136
Corvus corax, 113,235
 corone cornix, 41
 corone corone, 41
Corylus cornuta, 234,303
Coryoptera phili, 170
 Cottonwood, Black, 136
 Eastern, 32,282
Cottus cognatus, 207
 Cougar, 236,320,324,333
 Cougar (*Puma concolor*) Kittens with Live Prey: Implications for Learning and Survival, Observations of Wild, 333
 Cougars (*Puma concolor*) in Manitoba, Canada, First Record of Parasites from, 324
 Cougars, *Puma concolor*, in Ontario: Additional Evidence, 320
 Coyote, 47,95,288,321,324
 Coyotes (*Canis latrans*) on Prince Edward Island, Canada, Population Structure of Harvested Red Foxes (*Vulpes vulpes*) and, 288
 Crab, Tanner, 210
 Cranberry, Bog, 298
 Low-bush, 303
 Crane, Sandhill, 111
Crataegus sp., 282
 Crimmins, S.M., 28
 Crins, W.J., Review by, 178
Crotalus oreganus, 199
 viridis, 195
 Crow, Carrion, 41
 Hooded, 41
 Cucumber, Burr, 32
 Curlews, Eskimo, 329
Cyema atrum, 210
Cygnus columbianus, 113
Cynomys sp., 15,46
 ludovicianus, 46
Cynomys ludovicianus, in Central Alberta, An Extra-Limital Population of Black-tailed Prairie Dogs, 46
Cystopteris sp., 255
 fragilis, 253
 Dare, O.K. and W.G. Watkins. First Record of Parasites from Cougars (*Puma concolor*) in Manitoba, Canada, 324
 de Bie, F., 288
 Deer, 194,237,242
 Mule, 320,326,334
 White-tailed, 47,160,237,242,320,326
 Deer Herbivory and Drought on Population Growth of *Goodyera pubescens* (Orchidaceae) in Southwestern Quebec, The Impact of, 242
Delichon urbicum, 143
Dendroica occidentalis, 143
 townsendi, 143
 Dezhi, L. and Q. Aili, Review by, 347
Diadophis punctatus edwardsii, 336
Diadophis punctatus edwardsii, from Big Tancook Island, Mahone Bay, Lunenburg County, Nova Scotia, Canada, A Partial Albino Hatchling Northern Ring-necked Snake, 336
Dicranum sp., 329
 scoparium, 329
 Dilworth, T.G., 15
Dirca decipiens, 86
 mexicana, 86
 occidentalis, 86
 palustris, 86
Dirca palustris, On the Discovery of Eastern, Leatherwood, 86
 Dog, Domestic, 321

- Dogwood, Grey, 282
 Red-osier, 136
- Dorosoma cepedianum*, 10
- Douglas-fir, 189
- Douglas, 1923–2004, Tribute to Charles Hogg, 164
- Dracaena indivisa*, 157
- Drake, C., 336
- Dryopteris* sp., 253
algonquinensis, 253
filix-mas spp. brittonii, 255
fragrans, 253
- Duck, Labrador, 329
 Long-tailed, 113
 Tufted, 16
- Dunn, E.H., 59
- Echinococcus* sp., 288
- Editor's Report for Volume 125 (2011), 184
- Edwards, 1924–2011, Yorke, 353
- Eel, Marine, 210
- Eels *Venefica ocella* and *V. tentaculata* (Nettastomatidae) from British Columbia, First Specimens of the Marine, 210
- Egret, Reddish, 328
- Egret (*Egretta rufescens*) in Nova Scotia During the 19th Century and its Association with the McCulloch Collection of Birds, Evidence for the Collection of a Reddish, 328
- Egretta rufescens*, 328
- Egretta rufescens* in Nova Scotia During the 19th Century and its Association with the McCulloch Collection of Birds, Evidence for the Collection of a Reddish Egret, 328
- Eider, Common, 113
 King, 111
- Elaeagnus angustifolia*, 307
- Elateridae sp., 121
- Elbroch, L.M. and H. Quigley. Observations of Wild Cougar (*Puma concolor*) Kittens with Live Prey: Implications for Learning and Survival, 333
- Elk, North American, 46,320
- Elm, 47
 American, 282
- Elymus trachycaulus*, 104,148,221,226
- Emydoidea blandingii*, 89,232
- Emydoidea blandingii*, in Barren Meadow and Keddy Brooks, Nova Scotia, Ecology of a Recently Discovered Population Segment of Blanding's Turtles, 89
- Eptesicus fuscus*, 38,117,127
- Eptesicus fuscus* in Pennsylvania, Barn Owl (*Tyto alba*) Predation on Big Brown Bats, 38
- Erbilgin, N., 34
- Eremophila alpestris*, 113
- Erethizon dorsatus*, 326
- Ericameria nauseosa*, 34
- Eriogonum pauciflorum*, 34
- Ermine, 228
- Falco columbarius*, 113
peregrinus, 113
- Falcon, Peregrine, 113
- Fecske, D.M., 281
- Felis catus*, 47,286,321
- Fern, Bracken, 235
 Britton's Male, 255
 Britton's Oak, 255
 Fragile, 253
- Fir, Balsam, 1,234,295
 Subalpine, 189
- Fireweed, 298
- Fisher, 234,281,321
- Fisher, *Martes pennanti*, *In situ* Caching of a Large Mammal Carcass by a, 234
- Fishers, *Martes pennanti*, in North Dakota, A Direct Comparison of Enclosed Track Plates and Remote Cameras in Detecting, 281
- Flicker, Northern, 41,143
- Fly, 170
- Forbes, G., 1
- Forbes, G.J., 125
- Fortier, J.L., 320
- Fortney, A.N., R.G. Poulin, J.A. Martino, D.L. Parker and C.M. Somers. Proximity to Hibernacula and Road Type Influence Potential Road Mortality of Snakes in Southwestern Saskatchewan, 194
- Fox, Arctic, 114
 Kit, 224
 Red, 95,235,231,288
- Foxes (*Vulpes vulpes*) and Coyotes (*Canis latrans*) on Prince Edward Island, Canada, Population Structure of Harvested Red, 288
- Fratercula arctica arctica*, 50
arctica grabae, 50
arctica naumanni, 50
- Fratercula arctica naumanni*, in Canada, A Specimen of the High Arctic Subspecies of Atlantic Puffin, 50
- Fraxinus* sp., 15
pennsylvanica, 282
- Frederick, C.F., 160
- Gallagher, E., 28
- Gartersnake, Plains, 195
 Wandering, 195
- Gaston, A.J. and J.F. Provencher. A Specimen of the High Arctic Subspecies of Atlantic Puffin, *Fratercula arctica naumanni*, in Canada, 50
- Gavia adamsii*, 113
pacifica, 113
stellata, 113
- Geomyces destructans*, 127
- Geomys bursarius*, 226
- Gilhen, J., A. Jones, J. McNeil, and A.W. Tanner. A Significant Range Extension for the Eastern Ribbonsnake, *Thamnophis sauritus*, in Nova Scotia, Canada, 231
- Gilhen, J., G. Caswell, C. Drake, M. MacDonald, and H. McKinnon-Ramshaw. A Partial Albino Hatchling Northern Ring-necked Snake, *Diadophis punctatus edwardsii*, from Big Tancook Island, Mahone Bay, Lunenburg County, Nova Scotia, Canada, 336
- Glaucidium gnoma*, 43
- Global Wildlife Resources — Wildlife Handling Job Board, 182
- Gloeophyllum trabeum*, 161
- Glycine javanica*, 31

- max*, 33
 Goat, Iberian Wild, 192
 Golden-Plover, American, 111
Goodyera pubescens, 242
Goodyera pubescens (Orchidaceae) in Southwestern Quebec, The Impact of Deer Herbivory and Drought on Population Growth of, 242
 Goose, Cackling, 111
 Greater White-fronted, 111
 Snow, 113
 Gooseberry, Missouri, 282
 Gopher, Northern Pocket, 96
 Plains Pocket, 226
 Pocket, 167
 Grape, Riverbank, 32
 Gray, D.R. and S.E. Gray. A Tribute to Stewart Dixon MacDonald, 1927–2010, 245
 Gray, S.E., 245
 Grouse, Black, 331
 Red, 292,331
Grus canadensis, 111
 Gull, American Herring, 113
 Glaucous, 113
 Great Black-backed, 15
 Ring-billed, 15
 Sabine's, 113
 Thayer's, 111
Gulo gulo, 234
Gymnocarpium sp., 255
 brittonianum, 255

 Haber, E. A Tribute to James Herbert Soper, 1916–2012, 61
 Hackberry, 32
 Dwarf, 62
 Hamilton, D.A., 28
 Hanke, G.F. and S.M. Roias. First Specimens of the Marine Eels *Venefica ocella* and *V. tentaculata* (Nettastomidae) from British Columbia, 210
 Hare, Snowshoe, 237,295,303
 Hare (*Lepus americanus*) Habitat in a Post-Fire Trembling Aspen (*Populus tremuloides*) Chronosequence in Central Yukon, Stand-level Attributes of Snowshoe, 295
 Hawk, Rough-legged, 113
 Hawthorn, 282
 Hazelnut, Beaked, 234,303
 Hellebore, California False, 55
 Green False, 55
 Helleiner, F., Review by, 69
 Henderson, J. and G. Forbes. Occurrence of the Maritime Shrew (*Sorex maritimensis*) in Black Spruce (*Picea mariana*) Forest Stands in Southeastern New Brunswick, 1
 Herman, T.B., 89
Heterodon nasicus, 195
 Hickory, 28
Hirundo rustica, 143
Histiobranchus bathybius, 210
 Holroyd, G.L., 46
 Holt, J., 117
Homo sapiens, 321

Hordeum vulgare, 221,226
Hormathophylla spinosa, 192
 Houston, C.S., Reviews by, 174,346
Houstonia longifolia, 62
 longifolia var. *soperi*, 62
 Huettmann, F., Review by, 349
 Human, 321
 Hüner, E.A. and J.F.B. Peter. *In situ* Caching of a Large Mammal Carcass by a Fisher, *Martes pennanti*, 234
 Hussell, D.J.T., J.A.T. Hussell, and E.H. Dunn. New Avian Breeding Records for Iqaluit, Nunavut, 59
 Hussell, J.A.T., 59
Hydrilla verticillata, 307
 Hydrilla, 307
Hylocomium splendens, 299
Hypnum imponens, 329

Ichthyomyzon unicuspis, 207
Icteria virens, 135,152
 virens auricollis, 135,152
 virens virens, 135
Icteria virens auricollis) at the Northern Edge of its Range, Site Fidelity and Annual Survival of the Western Yellow-breasted Chat, 135
Icteria virens auricollis) in British Columbia, Size of Territories and Home Ranges of Male Western Yellow-breasted Chats, 152
Isoetes sp., 253
 brittonii, 255
 dodgei, 253
 virginica, 255
 Iudica, C.A., 38

 Jackrabbit, White-tailed, 157
 Jackrabbits (*Lepus townsendii*) Eat Spike Plants (*Cordylone australis*) in Winter, Urban White-tailed, 157
 Jaeger, Long-tailed, 113
 Parasitic, 113
 Pomarine, 113
 Janelle, J., 34
 John, R., Reviews by, 70,71,172,176,260,261
 Johnston, D., 288
 Joly, K. Sea Ice Crossing by Migrating Caribou, *Rangifer tarandus*, in Northwestern Alaska, 217
 Jones, A., 231
Junco hyemalis, 60
 Junco, Dark-eyed, 60
 Jung, T.S., 295

 Kehoe, F.P., 15
 Kenn, I.S., 320
 Khalafalla, S.M. and C.A. Iudica. Barn Owl (*Tyto alba*) Predation on Big Brown Bats (*Eptesicus fuscus*) in Pennsylvania, 38
 Kingsnake, Prairie, 201
 Kudzu, 307

Lagopus lagopus, 113
 lagopus scotica, 331
 lagopus scoticus, 292

- muta*, 113
- Lait, L.A., R.F. Lauff, and T.M. Burg. Genetic Evidence Supports Boreal Chickadee (*Poecile hudsonicus*) × Black-capped Chickadee (*Poecile atricapillus*) Hybridization in Atlantic Canada, 143
- Lamb's-quarters, 32
- Lampetra appendix*, 204
- Lamprey, American Brook, 204
Sea, 206
Silver, 207
- Lamprey (*Lethenteron appendix*) in Southeastern Minnesota, Early Spawning by the American Brook, 204
- Lampropeltis calligaster calligaster*, 201
- Larix laricina*, 1,24
- Lark, Horned, 113
- Larson, B.M.H., 31
- Larus argentatus smithsonianus*, 113
delawarensis, 15
hyperboreus, 113
marinus, 15
thayeri, 111
- Lasionycteris noctivagans*, 118
- Lasiurus borealis*, 117
cinereus, 117
- Lauff, R., Review by, 262
- Lauff, R.F., 41,143
- Leatherleaf, 24
- Leatherwood, Eastern, 86
Mexican, 86
Western, 86
- Leatherwood (*Dirca palustris*), On the Discovery of Eastern, 86
- Lefebvre, J., S.W. Mockford, and T.B. Herman. Ecology of a Recently Discovered Population Segment of Blanding's Turtles, *Emydoidea blandingii*, in Barren Meadow and Keddy Brooks, Nova Scotia, 89
- Lemming, 114
- Lepus americanus*, 237,295
townsendii, 157
- Lepus americanus*) Habitat in a Post-Fire Trembling Aspen (*Populus tremuloides*) Chronosequence in Central Yukon, Stand-level Attributes of Snowshoe Hare, 295
- Lepus townsendii*) Eat Spike Plants (*Cordyline australis*) in Winter, Urban White-tailed Jackrabbits, 157
- Lespedeza cuneata*, 307
- Lespedeza, Sericea, 307
- Lethenteron appendix*, 204
- Lethenteron appendix*) in Southeastern Minnesota, Early Spawning by the American Brook Lamprey, 204
- Letter to the Editor, 183
- Lichen, Dog Tongue, 298
- Lindgren, C.J. and D. Walker. Predicting the Spread of Purple Loosestrife (*Lythrum salicaria*) in the Prairies, 306
- Linnaea borealis*, 299
- Lion, 224
- Locust, Black, 32
- Lok, C.M. and J.A.J. Vink. Trends and Fluctuations in Bird Populations on the Tundra at Cambridge Bay, Nunavut, 111
- Longspur, Lapland, 113
- Lontra canadensis*, 28
- Lontra canadensis*, in Southern Missouri, Implantation and Parturition Dates of North American River Otters, 28
- Loon, Pacific, 113
Red-throated, 113
Yellow-billed, 113
- Loosestrife, Purple, 306
- Loosestrife (*Lythrum salicaria*) in the Prairies, Predicting the Spread of Purple, 306
- Lophodytes cucullatus*, 41
- Lophura imperialis*, 143
- Loughry, S.C., M.D. Triska, D.M. Fecske, and T.L. Serfass. A Direct Comparison of Enclosed Track Plates and Remote Cameras in Detecting Fishers, *Martes pennanti*, in North Dakota, 281
- Lupine, Arctic, 298
- Lupinus arcticus*, 299
- Lynx canadensis*, 295,321
rufus, 321
- Lynx, Canada, 295,321
- Lythrum salicaria*, 15,306
- Lythrum salicaria*) in the Prairies, Predicting the Spread of Purple Loosestrife, 306
- MacDonald, M., 336
- MacDonald, 1927–2010, A Tribute to Stewart Dixon, 245
- MacKenzie, K., 103
- MacKenzie, N., 103,221,226
- Mallard, 41
- Malloch, D., 125
- Mallory, F.F., R.A. Carter, J.L. Fortier, I.S. Kenn, L. Weis, and B.N. White. Cougars, *Puma concolor*, in Ontario: Additional Evidence, 320
- Manitoba, Canada, First Record of Parasites from Cougars (*Puma concolor*) in, 324
- Maple, Manitoba, 32,282
Red, 1
Sugar, 32
- Marmot, Bobak, 56
Golden, 56
Hoary, 56
Long-tailed, 56
Olympic, 56
Steppe, 56
Vancouver Island, 55
Yellow-bellied, 55
- Marmota bobak*, 56
caligulata, 56
caudate, 56
flaviventris, 55
monax, 56
olympus, 56
vancouverensis, 55
- Marmota vancouverensis*) Consume Plants Containing Toxic Secondary Compounds, Vancouver Island Marmots, 55
- Marmots (*Marmota vancouverensis*) Consume Plants Containing Toxic Secondary Compounds, Vancouver Island, 55
- Marten, American, 234
European Pine, 234

- Martes americana*, 234
martes, 234
pennanti, 234,281,321
- Martes pennanti*, in North Dakota, A Direct Comparison of Enclosed Track Plates and Remote Cameras in Detecting Fishers, 281
- Martes pennanti*, *In situ* Caching of a Large Mammal Carcass by a Fisher, 234
- Martin, Common House, 143
 Northern House, 143
- Martino, J.A., 194
- Massachusetts, Foods of Bats (Family Vespertilionidae) at Five Locations in New Hampshire and, 117
- McAlpine, D.F., 125
- McKibbin, R. and C.A. Bishop. Site Fidelity and Annual Survival of the Western Yellow-breasted Chat (*Icteria virens auricollis*) at the Northern Edge of its Range, 135
- McKibbin, R. and C.A. Bishop. Size of Territories and Home Ranges of Male Western Yellow-breasted Chats (*Icteria virens auricollis*) in British Columbia, 152
- McKinnon-Ramshaw, H., 336
- McNeil, J., 231
- McRoberts, J.T., N.T. Quintana, W.A. Smith, W.B. Ballard, F.P. Kehoe, and T.G. Dilworth. Greater Scaup, *Aythya marila*, Nest Site Characteristics on Grassy Island, New Brunswick, 15
- Meadowlark, Eastern, 143
 Western, 143
- Medicago* sp., 104,148,221,226
sativa, 158
- Meerkat, 333
- Megachile sculpturalis*, 33
- Melanitta* sp., 20
americana, 20
fusca, 20
perspicillata, 20
- Melanitta* spp.) in Ontario's Hudson Bay Lowlands, Abundance and Habitat Selection of Breeding Scoters, 20
- Meles meles*, 221
- Mephitis mephitis*, 150,283
- Merganser, Hooded, 41
 Red-breasted, 113
- Mergus serrator*, 113
- Merlin, 113
- Metalmark, Lange's, 36
 Mormon, 34
- Metalmark (*Apodemia mormo*) Oviposition Behaviour in Canada, First Observations of Mormon, 34
- Microtus pennsylvanicus*, 38
- Middel, K.R., 20
- Mills, E.L. Evidence for the Collection of a Reddish Egret (*Egretta rufescens*) in Nova Scotia During the 19th Century and its Association with the McCulloch Collection of Birds, 328
- Mills, E.L., Review by, 81
- Minutes of the 133rd Annual Business Meeting of The Ottawa Field-Naturalists' Club January 10, 2012, 266
- Minnesota, Early Spawning by the American Brook Lamprey (*Lethenteron appendix*) in Southeastern, 204
- Missouri, Implantation and Parturition Dates of North American River Otters, *Lontra canadensis*, in Southern, 28
- Mockford, S.W., 89
- Moose, 189,234
- Moose *Alces alces* Winter Browsing, The Influence of Willow *Salix* sp. Rose Insect Galls on, 189
- Moosewood, 86
- Moosman, P.R. Jr., 117
- Morus alba*, 32
- Moss, 329
 Bryum, 297
 Fire, 297
 Pioneer, 298
 Stairstep, 299
- Moth, 121
- Mottiar, Y. On the Discovery of Eastern Leatherwood (*Dirca palustris*), 86
- Mouse, Deer, 2,321
 Northern Grasshopper, 96
 Olive-backed Pocket, 96
 Western Harvest, 95
- Mouse, *Reithrodontomys megalotis*, An Addition to the Mammalian Fauna of Saskatchewan: The Western Harvest, 95
- Mulberry, White, 32
- Murre, Thick-billed, 50
- Murrelet, Long-billed, 6
 Marbled, 6
- Murrelets, *Brachyramphus perdix*, in North America, Body Condition and Survival of Vagrant Long-billed, 6
- Mustard, Garlic, 307
 Yellow, 226
- Mustela erminea*, 228
eversmanni, 168
frenata, 95,228,234
- Myodes gapperi*, 2
- Myotis* sp., 38,121,127
leibii, 118
lucifugus, 39,117,127
septentrionalis, 118,127
sodalis, 118
- Myotis*, Eastern Small-footed, 118
 Indiana, 118
 Little Brown, 117
 Northern, 117
- Nemichthys avocetta*, 210
larseni, 210
scolopaceus, 210
- Neospora caninum*, 288
- Neotoma cinerea*, 96
- New Brunswick, Bat Populations and Cave Microclimate Prior to and at the Outbreak of White-Nose Syndrome in, 125
- New Brunswick, Greater Scaup, *Aythya marila*, Nest Site Characteristics on Grassy Island, 15
- New Brunswick, Occurrence of the Maritime Shrew (*Sorex maritimensis*) in Black Spruce (*Picea mariana*) Forest Stands in Southeastern, 1
- New Hampshire and Massachusetts, Foods of Bats (Family Vespertilionidae) at Five Locations in, 117
- North America, Body Condition and Survival of Vagrant Long-billed Murrelets, *Brachyramphus perdix*, in, 6

- North Dakota, A Direct Comparison of Enclosed Track Plates and Remote Cameras in Detecting Fishers, *Martes pennanti*, in North Dakota, 281
- Northeast Natural History Conference 2013, 265
- Notropis atherinoides*, 10
- Nova Scotia, Canada, A Partial Albino Hatchling Northern Ring-necked Snake, *Diadophis punctatus edwardsii*, from Big Tancook Island, Mahone Bay, Lunenburg County, 336
- Nova Scotia, Canada, A Significant Range Extension for the Eastern Ribbonsnake, *Thamnophis sauritus*, in, 231
- Nova Scotia During the 19th Century and its Association with the McCulloch Collection of Birds, Evidence for the Collection of a Reddish Egret (*Egretta rufescens*) in, 328
- Nova Scotia, Ecology of a Recently Discovered Population Segment of Blanding's Turtles, *Emydoidea blandingii*, in Baren Meadow and Keddy Brooks, 89
- Numenius borealis*, 329
- Nunavut, New Avian Breeding Records for Iqaluit, 59
- Nunavut, Trends and Fluctuations in Bird Populations on the Tundra at Cambridge Bay, 111
- O'Neill, J., Reviews by, 77,80
- Oahandley, R.M., 288
- Oak, 28
 Burr, 282
 Northern Red, 160
 Red, 32
- Odocoileus* sp., 194,237
 hemionus, 320,326,334
 virginianus, 47,160,237,242,320,326
- Oenanthe oenanthe*, 59
- Oleria onega*, 36
- Olive, Russian, 307
- Ontario: Additional Evidence, Cougars, *Puma concolor*, in, 320
- Ontario, Kudzu Vine, *Pueraria montana*, Adventive in Southern, 31
- Ontario's Hudson Bay Lowlands, Abundance and Habitat Selection of Breeding Scoters (*Melanitta* spp.) in, 20
- Onychomys leucogaster*, 96
- Ottawa Field-Naturalists' Club Awards for 2011, Presented April 2012, The, 254
- Otter, North American River, 28
- Otters, *Lontra canadensis*, in Southern Missouri, Implantation and Parturition Dates of North American River, 28
- Owl, Barn, 38
 Northern Pygmy, 43
 Northern Saw-whet, 41
 Short-eared, 41,113
 Snowy, 113
- Owl (*Aegolius acadicus*) Egg, An Anomalous Northern Saw-whet, 41
- Owl (*Tyto alba*) Predation on Big Brown Bats (*Eptesicus fuscus*) in Pennsylvania, Barn, 38
- Panthera leo*, 224
- Parker, D.L., 194
- Passer domesticus*, 38
- Passerculus sandwichensis*, 59,113
- Pellaea* sp., 253
- Peltigera aphthosa*, 299
 malacea, 299
- Pennsylvania, Barn Owl (*Tyto alba*) Predation on Big Brown Bats (*Eptesicus fuscus*) in, 38
- Perimyotis subflavus*, 118,126
- Perognathus fasciatus*, 96
- Peromyscus maniculatus*, 2,321
- Peter, J.F.B., 234
- Petromyzon marinus*, 206
- Phakopsora pachyrhizi*, 33
- Phalaris* sp., 15
- Phalarope, Red, 111
 Red-necked, 111
- Phalaropus fulicarius*, 111
 lobatus, 111
- Pheasant, Imperial, 143
- Picea* sp., 47,296
 albertiana ssp. *albertiana*, 296
 glauca, 234
 mariana, 1,24,295
- Picea mariana*) Forest Stands in Southeastern New Brunswick, Occurrence of the Maritime Shrew (*Sorex maritimensis*) in Black Spruce, 1
- Pine, 28
 Eastern White, 1,234
 Lodgepole, 296
- Pintail, Northern, 113
- Pinus* sp., 28
 contorta var. *latifolia*, 296
 strobus, 1,234
- Pipit, American, 113
- Pituophis catenifer*, 199
 catenifer sayi, 195
- Plant, Cane, 157
 Dracaena, 157
 Spike, 157
- Plants (*Cordyline australis*) in Winter, Urban White-tailed Jackrabbits (*Lepus townsendii*) Eat Spike, 157
- Plectrophenax nivalis*, 113
- Pleurozium schreberi*, 330
- Plover, Black-bellied, 111
 Semipalmated, 113
- Pluvialis dominica*, 111
 squatarola, 111
- Poecile atricapillus*, 143
 carolinensis, 143
 gambeli, 143
 hudsonicus, 143
- Poecile atricapillus*) Hybridization in Atlantic Canada, Genetic Evidence Supports Boreal Chickadee (*Poecile hudsonicus*) × Black-capped Chickadee, 143
- Poecile hudsonicus*) × Black-capped Chickadee (*Poecile atricapillus*) Hybridization in Atlantic Canada, Genetic Evidence Supports Boreal Chickadee, 143
- Polecat, Beringian, 168
- Polypodium* sp., 253
- Polystichum* sp., 253
- Poplar, 320
 Balsam, 282
- Populus* sp., 47,320
 basamifera, 282

- deltoides*, 32,282
grandidentata, 32
tremuloides, 282,295
trichocarpa, 136
Populus tremuloides) Chronosequence in Central Yukon, Stand-level Attributes of Snowshoe Hare (*Lepus americanus*) Habitat in a Post-Fire Trembling Aspen, 295
Porcupine, North American, 326
Poulin, R.G., 194
Prairie Dog, 46
 Black-tailed, 46
Prairie Dogs, *Cynomys ludovicianus*, in Central Alberta, An Extra-Limital Population of Black-tailed, 46
Prince Edward Island, Canada, Population Structure of Harvested Red Foxes (*Vulpes vulpes*) and Coyotes (*Canis latrans*) on, 288
Procyon lotor, 93,286
Proulx, B.P., 95
Proulx, G. and B.P. Proulx. An Addition to the Mammalian Fauna of Saskatchewan: The Western Harvest Mouse, *Reithrodontomys megalotis*, 95
Proulx, G. and N. MacKenzie. Observations of Nocturnal Hunting Behaviour of American Badgers, *Taxidea taxus*, in Southwestern Saskatchewan, 226
Proulx, G. and N. MacKenzie. Use of a Dorsal Radio-Transmitter Implant in American Badgers, *Taxidea taxus*, 221
Proulx, G. High Spring Mortality of Adult Richardson's Ground Squirrels, *Urocitellus richardsonii*, Associated with a Severe Rainstorm in Southwestern Saskatchewan, 148
Proulx, G., K. MacKenzie, and N. MacKenzie. Distribution and Relative Abundance of Richardson's Ground Squirrels, *Urocitellus richardsonii*, According to Soil Zones and Vegetation Height in Saskatchewan During a Drought Period, 103
Provencher, J.F., 50
Prunus serotina, 32
 virginiana, 282
Pruss, S., 34
Pseudotsuga menziesii, 189
Ptarmigan, Rock, 113
 Willow, 113
Pteridium aquilinum, 235
Pueraria lobata, 31,307
 montana, 31
Pueraria montana, Adventive in Southern Ontario, Kudzu Vine, 31
Puffin, Atlantic, 50
Puffin, *Fratercula arctica naumanni*, in Canada, A Specimen of the High Arctic Subspecies of Atlantic, 50
Puma concolor, 236,320,324,333
 concolor cougar, 322
Puma concolor) in Manitoba, Canada, First Record of Parasites from Cougars, 324
Puma concolor, in Ontario: Additional Evidence, Cougars, 320
Puma concolor) Kittens with Live Prey: Implications for Learning and Survival, Observations of Wild Cougar, 333
Quebec, The Impact of Deer Herbivory and Drought on Population Growth of *Goodyera pubescens* (Orchidaceae) in Southwestern, 242
Quercus sp., 28
 macrocarpa, 282
 rubra, 32,160
Quigley, H., 333
Quillwort, Britton's, 255
 Dodge's, 253
Quintana, N.T., 15
Rabbitbrush, Rubber, 34
Rabdophaga sp., 189
 rosaria, 189
 salicisrhodoides, 190
 strobiloides, 189
Raccoon, 93,286
Racer, Eastern Yellow-bellied, 195
Rangifer tarandus, 192,217
Rangifer tarandus, in Northwestern Alaska, Sea Ice Crossing by Migrating Caribou, 217
Raspberry, 282
Rattlesnake, Prairie, 195
Raven, Common, 113,235
Rea, R.V. The Influence of Willow *Salix* sp. Rose Insect Galls on Moose *Alces alces* Winter Browsing, 189
Reddoch, A.H., 242
Reddoch J.M. and A.H. Reddoch. The Impact of Deer Herbivory and Drought on Population Growth of *Goodyera pubescens* (Orchidaceae) in Southwestern Quebec, 242
Redhead, 16
Redpoll, Arctic, 113
Reedgrass, Bluejoint, 1
 Purple, 298
Reindeer, 192,220
Reithrodontomys megalotis, 95
 megalotis dychei, 95
 megalotis megalotis, 95
Reithrodontomys megalotis, An Addition to the Mammalian Fauna of Saskatchewan: The Western Harvest Mouse, 95
Rhododendron groenlandicum, 24
Rhus typhina, 32
Rhytidadelphus triquetrus, 329
Ribbonsnake, Eastern, 231
 Northern, 232
Ribbonsnake, *Thamnophis sauritus*, in Nova Scotia, Canada, A Significant Range Extension for the Eastern, 231
Ribes missouriense, 282
Richter, D.L., A.M. Berns, and C.F. Frederick. Resistance of Canada Yew (*Taxus canadensis*) Branch Wood to Two Wood Decay Fungi, 160
Roberts, N.M., S.M. Crimmins, D.A. Hamilton, and E. Gallagher. Implantation and Parturition Dates of North American River Otters, *Lontra canadensis*, in Southern Missouri, 28
Robin, American, 60
Robinia pseudo-acacia, 32
Roias, S.M., 210

- Rosa* sp., 189
acicularis, 136, 299
gymnocarpa, 136
nutkana, 136
woodsii, 136
- Rose, Wild, 136, 298
- Rose Insect Galls on Moose *Alces alces* Winter Browsing, The Influence of Willow *Salix* sp.
- Ross, M.A., 204
- Ross, R.K., 20
- Rubus* sp., 282
- Rust, Soybean, 33
- Salix* sp., 24, 136, 189, 296
scouleriana, 190
- Salix* sp. Rose Insect Galls on Moose *Alces alces* Winter Browsing, The Influence of Willow, 189
- Sandpiper, Baird's, 111
 Buff-breasted, 111
 Pectoral, 113
 Semipalmated, 113
 Stilt, 111
 White-rumped, 113
- Sapsucker, 143
- Sarcocystis* sp., 288
- Saskatchewan During a Drought Period, Distribution and Relative Abundance of Richardson's Ground Squirrels, *Uroditellus richardsonii*, According to Soil Zones and Vegetation Height in, 103
- Saskatchewan, High Spring Mortality of Adult Richardson's Ground Squirrels, *Uroditellus richardsonii*, Associated with a Severe Rainstorm in Southwestern, 148
- Saskatchewan, Observations of Nocturnal Hunting Behaviour of American Badgers, *Taxidea taxus*, in Southwestern, 226
- Saskatchewan, Proximity to Hibernacula and Road Type Influence Potential Road Mortality of Snakes in Southwestern, 194
- Saskatchewan: The Western Harvest Mouse, *Reithrodontomys megalotis*, An Addition to the Mammalian Fauna of, 95
- Saskatoon, 136, 303
- Scaup, Greater, 15, 113
 Lesser, 16
- Scaup, *Aythya marila*, Nest Site Characteristics on Grassy Island, New Brunswick, Greater, 15
- Scirpus* sp., 25
- Scoter, 20
 Black, 20
 Surf, 20
 White-winged, 20
- Scoters (*Melanitta* spp.) in Ontario's Hudson Bay Lowlands, Abundance and Habitat Selection of Breeding, 20
- Sculpin, Slimy, 207
- Sealy, S.G. and H.R. Carter. Body Condition and Survival of Vagrant Long-billed Murrelets, *Brachyramphus perdix*, in North America, 6
- Seburn, D., Review by, 175
- Sedge, 15, 25, 62
 Thick-headed, 62
- Serfass, T.L., 281
- Serrivomer* sp., 211
- jesperseni*, 210
- Serviceberry, Downy, 282
- Setophaga occidentalis*, 143
townsendi, 143
- Shad, Gizzard, 10
- Shepherdia canadensis*, 299
- Shiner, Emerald, 10
- Shrew, American Pygmy, 2
 Arctic, 1
 Cinereus, 2
 Maritime, 1
 Northern Short-tailed, 2, 38, 93
 Smoky, 2
- Shrew (*Sorex maritimensis*) in Black Spruce (*Picea mariana*) Forest Stands in Southeastern New Brunswick, Occurrence of the Maritime, 1
- Sialia currucoides*, 113
mexicana, 41
- Sicyos angulatus*, 32
- Sinapis alba*, 226
- Skunk, Striped, 150, 283
- Smith, T., Review by, 348
- Smith, W.A., 15
- Snake, 194
 Northern Ring-necked, 336
 Western Hog-nosed, 195
- Snake, *Diadophis punctatus edwardsii*, from Big Tancook Island, Mahone Bay, Lunenburg County, Nova Scotia, Canada, A Partial Albino Hatchling Northern Ring-necked, 336
- Snakes in Southwestern, Proximity to Hibernacula and Road Type Influence Potential Road Mortality of, 194
- Snowberry, Common, 136
- Somateria mollissima*, 113
spectabilis, 111
- Somers, C.M., 194
- Soper, 1916–2012, A Tribute to James Herbert, 61
- Sorex arcticus*, 1
cinereus, 2
fumeus, 2
hoi, 2
maritimensis, 1
- Sorex maritimensis* in Black Spruce (*Picea mariana*) Forest Stands in Southeastern New Brunswick, Occurrence of the Maritime Shrew, 1
- Soybean, 33
- Sparrow, House, 38
 Savannah, 59, 113
 White-crowned, 59
- Spermophilus* sp., 47, 148
beldingi, 148
columbianus, 148
richardsonii, 103, 148
- Sphyrapicus* sp., 143
- Spruce, 47, 296
 Black, 1, 24, 295
 Western White, 296, 298
 White, 234
- Spruce (*Picea mariana*) Forest Stands in Southeastern New Brunswick, Occurrence of the Maritime Shrew (*Sorex maritimensis*) in Black, 1
- Squirrel, Belding's Ground, 148

- Columbian Ground, 148,226
 Ground, 47,226
 Red, 93
 Richardson's Ground, 95,103,148,221,226
- Squirrels, *Uroditellus richardsonii*, According to Soil Zones and Vegetation Height in Saskatchewan During a Drought Period, Distribution and Relative Abundance of Richardson's Ground, 103
- Squirrels, *Uroditellus richardsonii*, Associated with a Severe Rainstorm in Southwestern Saskatchewan, High Spring Mortality of Adult Richardson's Ground, 148
- Stanton-Kennedy, T., Reviews by, 81,350
- Stercorarius longicaudus*, 113
parasiticus, 113
pomarinus, 113
- Sterna hirundo*, 15
paradisaea, 113
- Strong, W.L. and T.S. Jung. Stand-level Attributes of Snowshoe Hare (*Lepus americanus*) Habitat in a Post-Fire Trembling Aspen (*Populus tremuloides*) Chronosequence in Central Yukon, 295
- Sturgeon, Lake, 204
- Sturnella magna*, 143
neglecta, 143
- Sumac, Staghorn, 32
- Suricata suricatta*, 333
- Swallow, Barn, 143
- Swan, Tundra, 113
- Symphoricarpos albus*, 136
- Synaphobranchus affinis*, 210
- Tadarida* sp., 38
- Taenia omissa*, 325
rileyi, 325
- Tamarack, 1,24
- Tamiasciurus hudsonicus*, 93
- Tanner, A.W., 231
- Taxidea taxus*, 47,95,221,226,234
- Taxidea taxus*, in Southwestern Saskatchewan, Observations of Nocturnal Hunting Behaviour of American Badgers, 226
- Taxidea taxus*, Use of a Dorsal Radio-Transmitter Implant in American Badgers, 221
- Taxus baccata*, 160
brevifolia, 160
canadensis, 160
- Taxus canadensis*) Branch Wood to Two Wood Decay Fungi, Resistance of Canada Yew, 160
- Taylor, B.R., Review by, 75
- Tea, Common Labrador, 24
- Tenebrionidae*, sp., 121
- Tern, Arctic, 113
 Common, 15
- Tetrao tetrix*, 331
urogallus, 331
- Thalassenchelys coheni*, 210
- Thamnophis elegans*, 199
elegans vagrans, 195
radix, 195
sauritus, 231
sauritus septentrionalis, 232
- Thamnophis sauritus*, in Nova Scotia, Canada, A Significant Range Extension for the Eastern Ribbonsnake, 231
- Thomas, H.H., P.R. Moosman, Jr., J.P. Veilleux, and J. Holt. Foods of Bats (Family Vespertilionidae) at Five Locations in New Hampshire and Massachusetts, 117
- Thomomys bottae*, 167
talpoides, 96
- Thuidium delicatulum*, 330
- Thuja occidentalis*, 160
- Titmouse, Black-crested, 143
 Tufted, 143
- Toxocara canis*, 288
cati, 325
- Trametes versicolor*, 161
- Tree, Cabbage, 157
- Tree-of-heaven, 32
- Trefry, H.E. and G.L. Holroyd. An Extra-Limital Population of Black-tailed Prairie Dogs, *Cynomys ludovicianus*, in Central Alberta, 46
- Triska, M.D., 281
- Triticum aestivum*, 221,226
- Tryngites subruficollis*, 111
- Turdus migratorius*, 60
- Turnstone, Ruddy, 113
- Turtle, Blanding's, 89,232
- Turtles, *Emydoidea blandingii*, in Barren Meadow and Keddy Brooks, Nova Scotia, Ecology of a Recently Discovered Population Segment of Blanding's, 89
- Twinflower, 298
- Tyto alba*, 38
- Tyto alba*) Predation on Big Brown Bats (*Eptesicus fuscus*) in Pennsylvania, Barn Owl, 38
- Ulmus* sp., 47
americana, 282
- Uria lomvia*, 50
- Uroditellus* sp., 226
beldingi, 148
columbianus, 148,226
richardsonii, 95,103,148,221,226
- Uroditellus richardsonii*, According to Soil Zones and Vegetation Height in Saskatchewan During a Drought Period, Distribution and Relative Abundance of Richardson's Ground Squirrels, 103
- Uroditellus richardsonii*, Associated with a Severe Rainstorm in Southwestern Saskatchewan, High Spring Mortality of Adult Richardson's Ground Squirrels, 148
- Ursus americanus*, 224,321
arctos, 224
- Vaccinium vitis-idaea*, 299
- Vanderwolf, K.J., D.F. McAlpine, G.J. Forbes, and D. Malloch. Bat Populations and Cave Microclimate Prior to and at the Outbreak of White-Nose Syndrome in New Brunswick, 125
- Veilleux, J.P., 117
- Venefica* sp., 210
ocella, 210
procera, 210
tentaculata, 210

- Venefica ocella* and *V. tentaculata* (Nettastomatidae) from British Columbia, First Specimens of the Marine Eels, 210
- Venefica tentaculata* (Nettastomatidae) from British Columbia, First Specimens of the Marine Eels *Venefica ocella* and, 210
- Veratrum californicum*, 55
- viride*, 55
- Vermivora chrysoptera*, 143
- cyanoptera*, 143
- Viburnum edule*, 303
- Vine, Kudzu, 31
- Vine, *Pueraria montana*, Adventive in Southern Ontario, Kudzu, 31
- Vink, J.A.J., 111
- Vitis riparia*, 32
- Vole, Meadow, 38
- Southern Red-backed, 2
- Vulpes lagopus*, 114
- macrotis*, 224
- vulpes*, 95,235,288,321
- Vulpes vulpes* and Coyotes (*Canis latrans*) on Prince Edward Island, Canada, Population Structure of Harvested Red Foxes, 288
- Waldron, G.E. and B.M.H. Larson. Kudzu Vine, *Pueraria montana*, Adventive in Southern Ontario, 31
- Walker, D., 306
- Walker, T.S., 204
- Wapenaar, W., F. de Bie, D. Johnston, R.M. Oahandley, and H.W. Barkema. Population Structure of Harvested Red Foxes (*Vulpes vulpes*) and Coyotes (*Canis latrans*) on Prince Edward Island, Canada, 288
- Warbler, Blue-winged, 143
- Golden-winged, 143
- Hermit, 143
- Townsend's, 143
- Watkins, W.G., 324
- Weasel, Long-tailed, 95,228,234
- Weis, L., 320
- Werner, J.R. Vancouver Island Marmots (*Marmota vancouverensis*) Consume Plants Containing Toxic Secondary Compounds, 55
- Wheat, 221,226
- Wheatgrass, Crested, 104,148,221,226
- Slender, 104,148,221,226
- White, B.N., 320
- White-Nose Syndrome in New Brunswick, Bat Populations and Cave Microclimate Prior to and at the Outbreak of, 125
- Wick, A.A., J. Janelle, S. Pruss, and N. Erbilgin. First Observations of Mormon Metalmark (*Apodemia mormo*) Oviposition Behaviour in Canada, 34
- Wicopy, 86
- Willow, 24,136,189,282,296
- Scouler's, 190
- Willow *Salix* sp. Rose Insect Galls on Moose *Alces alces* Winter Browsing, The Influence of, 189
- Wolf, 237
- Eastern, 235
- Gray, 238,324
- Red, 143
- Wolf (*Canis lupus*), Severe Maxillary Osteomyelitis in a Gray, 238
- Wolverine, 234
- Wood, Lead, 87
- Woodchuck, 56
- Woodfern, 253
- Algonquin, 253
- Fragrant, 253
- Woodrat, Bushy-tailed, 96
- Woodsia* sp., 253
- Xema sabini*, 113
- Xenomystax atrarius*, 210
- Yew, Canada, 160
- English, 160
- Pacific, 160
- Yew (*Taxus canadensis*) Branch Wood to Two Wood Decay Fungi, Resistance of Canada, 160
- Youngman: 1927–2011, A Tribute to Phillip Merrill, 167
- Yukon, Stand-level Attributes of Snowshoe Hare (*Lepus americanus*) Habitat in a Post-Fire Trembling Aspen (*Populus tremuloides*) Chronosequence in Central, 295
- Zonotrichia leucophrys*, 59
- leucophrys leucophrys*, 60

Index to Book Reviews

Botany

- Iason, G., M. Dicke, and S. Hartley. *The Ecology of Plant Secondary Metabolites: From Genes to Global Processes*, 178
- Wenxin, C. and W. Entao. *Rhizobia in China*, 347

Environment

- Bennet-McCuaig, C. *Encountering the Wild*, 77
- Black, B.C. and G.J. Weisel. *Global Warming. Historical Guides to Controversial Issues in America*, 77
- Bodin, Ö. and C. Prell. *Social Networks and Natural Resource Management: Uncovering the Social Fabric of Environmental Governance*, 81
- Galatowitsch, S.M. *Ecological Restoration*, 75
- Hallett, S. with J. Wright. *Life Without Oil: Why We Must Shift To a New Energy Future*, 80
- McAlpine, D.F. and I.M. Smith. *Assessment of species diversity in the Atlantic Maritime Ecozone*, 71
- Townsend, D.W. *Oceanography and Marine Biology: An Introduction to Marine Science*, 81

Other

- Gepts, P., T.R. Famula, R.L. Bettinger, S.B. Brush, A.B. Damania, P.E. McGuire and C.O. Qualset. *Biodiversity in Agriculture: Domestication, Evolution and Sustainability*, 348
- Gotelli, N.J. and A.M. Ellison. *A Primer of Ecological Statistics, Second Edition*, 350
- Kålås, J.A., Å. Viken, S. Henriksen, and S. Skjelseth. *The 2010 Norwegian Red List for Species*, 349
- Norment, C. *In the Memory of the Map: A Cartographic Memoir*, 179
- Roed, M.A. and R.J. Fulton. *Okanagan Geology South: Geologic Highlights of the South Okanagan Valley, British Columbia*, 263

Zoology

- Adler, K. *Contributions to the History of Herpetology. Volume 3*, 344
- Ayé, R., M. Schweizer and T. Roth. *Birds of Central Asia: Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan, Tajikistan, Afghanistan*, 260

- Burton, R. and J. Croxall. *A Field Guide to the Wildlife of South Georgia*, 176
- Crother, B.I. *Scientific and Standard English Names of Amphibians and Reptiles of North America North of Mexico, with Comments Regarding Confidence in Our Understanding – Seventh Edition*, 340
- de Boer, B., E. Newton and R. Restall. *Birds of Aruba, Curaçao and Bonaire*, 70
- Ernst, C. and E. Ernst. *Venomous Reptiles of the United States, Canada, and Northern Mexico. Volume 1*, 175
- Forsman E. and 26 co-authors. *Population Demography of Northern Spotted Owls*, 174
- Grimmett, R., C. Inskipp, and T. Inskipp. *A Guide to the Birds of India, Pakistan, Nepal, Bangladesh, Bhutan, Sri Lanka, and the Maldives*, 71
- Heatwole, H. and J.W. Wilkinson. *Amphibian Biology Volume 10. Conservation and Decline of Amphibians: Ecological Aspects. Effect of Humans, and Management*, 341
- Holman, J.A. *The Amphibians and Reptiles of Michigan: A Quaternary and Recent Faunal Adventure*, 342
- Kennedy, A. *Birds of the Masai Mara*, 261
- Kennedy, A. and V. *Animals of the Masai Mara*, 261
- Lovitch, D. *How to be a Better Birder*, 68
- McLaren, I. *All the Birds of Nova Scotia*, 172
- Meshaka, W.E. Jr., and J.T. Collins. *A Pocket Guide to Lizards and Turtles of Pennsylvania*, 345
- Mikkola, H. *Owls of the World: A Photographic Guide*, 346
- Nicholas, E., E. Mandrak, and M. Burrige. *The ROM Field Guide to Freshwater Fishes of Ontario*, 173
- Spotte, S. *Societies of Wolves and Free-ranging Dogs*, 177
- Thorington, R.W., J.L. Koprowski, M.A. Steele and J.F. Wharton. *Squirrels of the World*, 262
- Tozer, R. *Birds of Algonquin Park*, 69

Children's Books

- Patkau, K. *Ecosystem Series: Who Needs a Swamp?, Who Needs a Jungle?, and Who Needs an Iceberg?*, 83
- Urrutia, M.C. *Who Will Save my Planet?*, 83

Index to Volume 126. Published: 1 October 2009. by University of California Press. in The Auk, Volume 126, pp 947-969; doi:10.1525/auk.2009.index. Publisher Website. Google Scholar. Keywords: Index to Volume. Scifeed alert for new publications. Never miss any articles matching your research from any publisher. Get alerts for new papers matching your research. Find out the new papers from selected authors. Updated daily for 49'000+ journals and 6000+ publishers. Define your Scifeed now. Index to volume 126. This index provides coverage for both the Initial Reports and Scientific Results portions of Volume 126 of the Proceedings of the Ocean Drilling Program. Refer-ences to page numbers in the Initial Reports are preceded by "A:" with a colon (A:), and those in the Scientific Results (this book), by "B:" with a colon (B Index to Volume 126. Full-text: Access denied (no subscription detected). We're sorry, but we are unable to provide you with the full text of this article because we are not able to identify you as a subscriber. If you have a personal subscription to this journal, then please login. If you are already logged in, then you may need to update your profile to register your subscription. Read more about accessing full-text. Article info and citation. First page. Article information. Source J. Differential Geom., Volume 116, Number 3 (2020). Dates First available in Project Euclid: 3 December 2 The habitable volume remained the same, though, since the length of the US modules was increased to 13.3 meters. Credit: NASA via Marcus Lindroos. File Name: sff2b.jpg. Two node modules were also deleted. The total pressurized volume was now 878 cubic meters. Credit: NASA via Marcus Lindroos. File Name: sff3.jpg. Index to Volume 126. DOI: <https://doi.org/10.1192/S0007125000042070>. Published online by Cambridge University Press: 29 January 2018. Export citation Request permission. Abstract. An abstract is not available for this content so a preview has been provided below. Please use the Get access link above for information on how to access this content.